



DO NOT SCALE

- NOTES:**
- ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE.
 - DESIGN BASED ON TOPOGRAPHICAL SURVEY PROVIDED BY GREENHATCH GROUP LTD ON 10 DECEMBER 2019.
 - THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ENGINEERING DETAILS, DRAWINGS AND SPECIFICATION.
 - FOR CONSTRUCTION DETAIL OF KERBS REFER TO WSCC-SD1-1100-011, WSCC-SD1-1100-012 AND WSCC-SD1-1100-014 - WEST SUSSEX COUNTY COUNCIL (WSCC) STANDARD DETAIL DRAWING.
 - FOR CONSTRUCTION DETAIL OF TACTILE PAVING & FOOTWAYS, REFER TO WSCC-SD1-1100-041, WSCC-SD1-1100-044, WSCC-SD1-1100-048, WSCC-SD1-1100-061, WSCC-SD1-1100-062/1 - WEST SUSSEX COUNTY COUNCIL (WSCC) STANDARD DETAIL DRAWING.
 - FOR RAISED TABLE CONSTRUCTION INCLUDING RAMPS AND CONTINUOUS FOOTWAY REFER TO WSCC-SD1-0700-002 WEST SUSSEX COUNTY COUNCIL (WSCC) STANDARD DETAIL DRAWING, WHERE 200L X 50W X 650mm GREY COLOUR CLAY PAVING IS LAID TO 45° HERRINGBONE PATTERN AND WSP 70073227-SD-001, 002 AND 003 DRAWINGS.
 - ALL SIGNS AND STREET FURNITURE TO HAVE A MINIMUM LATERAL CLEARANCE OF 450mm FROM ALL KERB FACES.
 - ANY DISCREPANCIES SHOULD BE REPORTED TO THE ENGINEER IMMEDIATELY, SO THAT CLARIFICATION CAN BE SOUGHT PRIOR TO THE COMMENCEMENT OF WORKS.
 - CONTRACTOR TO ESTABLISH ALL UTILITY AND DRAINAGE LOCATIONS AND COORDINATE SAFE WORKING PROCEDURES BEFORE ANY EXCAVATION WORKS TAKE PLACE.
 - USE OF INSET COVERS IN PAVED AREAS:
 - USE OF INSET SERVICE COVERS WITHIN PAVED AREAS IS ONLY APPLICABLE FOR THOSE OF SIZES ABOVE 300mm, THOSE WHICH ARE SMALLER SHOULD BE INSTALLED AS STANDARD COVERS.
 - FOR SERVICE COVERS OVER 600mm CONSIDERATION IS NEEDED WITH REGARDS TO SPLITTING THEM INTO SEVERAL SECTIONS TO AVOID THE NEED FOR MECHANICAL LIFTING TO PROVIDE ACCESS.
 - CONSIDERATION IS REQUIRED RELATING TO REDUCING THE DEPTH OF THE PAVING WITHIN THE INSET SERVICE COVER TO REDUCE THE OVERALL WEIGHT. THIS IS TO AVOID THE NEED FOR MECHANICAL LIFTING TO PROVIDE ACCESS.
 - WHERE APPLICABLE, EXISTING MANHOLE COVERS AND UTILITY COVERS ARE TO BE ADJUSTED TO NEW SURFACING LEVELS BEFORE THE FINAL SURFACING/PAVING TAKES PLACE.

- KEY:**
- PROPOSED KERBLINE
 - PROPOSED RAISED TABLE EDGE
 - CARRIAGEWAY TO BE RESURFACED
 - PROPOSED FOOTWAY (PT01 CLAY PAVERS)
 - PROPOSED FOOTWAY (PT02 CLAY PAVERS)
 - EXISTING FOOTWAY TO BE RESURFACED (TYPE 1)
 - EXISTING FOOTWAY TO BE RECONSTRUCTED (TYPE 1)
 - RAISED TABLE CONSTRUCTION
 - AREA FOR NEW TRAFFIC SIGNAL CONTROLLER
 - EXISTING HIGHWAY BOUNDARY
 - THIRD PARTY LAND
 - EXISTING SIGN TO BE RETAINED AND RELOCATED
 - EXISTING LIGHTING COLUMN TO BE RETAINED
 - EXISTING TACTILE PAVING TO BE RETAINED
 - PROPOSED TACTILE PAVING (RED)
 - PROPOSED TACTILE PAVING (BUFF)
 - PROPOSED TRAFFIC SIGNAL HEADS AND POLES
 - PROPOSED DRAINAGE GULLY
 - EXISTING COVER TO BE RETAINED/RESET TO SUIT NEW LEVELS
 - PROPOSED BOLLARD CAST IRON FINISH TYPE TO WSCC STANDARD DETAIL DRAWING S278/38/17
 - PROPOSED 'KEEP LEFT' NON-ILLUMINATED BOLLARD TO WSCC STANDARD DETAIL WSCC-SD1-1100-071
 - EXISTING HINGED BLACK BOLLARD TO BE REMOVED, RETAINED AND RELOCATED

REV	DATE	BY	DESCRIPTION	CHK	APP
D	03/03/2022	RJ	UPREV FOR CONSTRUCTION	NR	RC
C	11/06/2021	AMS	UPDATED FOLLOWING WSCC COMMENTS	NR	RC
B	15/01/2021	AMS	REVISED FOLLOWING RSA2 COMMENTS	NR	RC
A	30/10/20	AMS	FIRST ISSUE	NR	RC

DRAWING STATUS: **A - FIT FOR CONSTRUCTION**

wsp

Grosvenor House, 2 Grosvenor Square, Southampton, SO15 2BE, UK
T+ 44 (0) 2380 101 700
wsp.com

CLIENT: **WEST SUSSEX COUNTY COUNCIL**

ARCHITECT:

SITE/PROJECT: **BURGESS HILL PLACE & CONNECTIVITY WIVELSFIELD**

TITLE: **GENERAL ARRANGEMENT**

SCALE @ AT:	CHECKED:	APPROVED:
1:250	NR	RC
PROJECT NO:	DESIGNED:	DRAWN:
70073227	AMS	AMS
DRAWING NO:	DATE:	REV:
70073227-0100-001	October 2020	D

© WSP UK Ltd

- HEALTH AND SAFETY SYMBOLS LEGEND**
- INDICATES A RESIDUAL RISK REQUIRING A COMPULSORY ACTION
 - INDICATES A RESIDUAL RISK FOR INFORMATION
 - INDICATES A RESIDUAL RISK REQUIRING A PROHIBITIVE ACTION
 - INDICATES A RESIDUAL RISK AS A WARNING
- THERE IS A POTENTIAL FOR UNKNOWN/UNMAPED ABOVE GROUND AND UNDERGROUND SERVICES WHICH COULD PRESENT A HAZARD. ERRORS MAY ALSO BE PRESENT IN RECORDS/MAPPING. THE CONTRACTOR SHALL DETERMINE THE PRESENCE OF EXISTING SERVICES BEFORE COMMENCING WORKS.

Reproduced from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationary Office. Licence no. 100048795. Crown copyright reserved.