

Drainage Works Complete Since June 2012.

Job Number	Job Notes	Site Name	Area Name	Job Location
917357	Please rod and clear any blockages(Enquiry 244295)	Fish Lane	ALDWICK	near to junction with Chawkmere crescent eastings:491772 northings:98632 and Eastings491790 northings98631
824102	From Gully on access to garages, lay 13m x 150mm plastic pipe in verge to chamber end of verge/f/w	Downs Way	ANGMERING	opp 104, on access to garages. (constraints garage access required)
916584	please can gang lift cover to see who it belongs to, please report findings back to Garnett Scammell to pass on findings to me, thanks jane (Enquiry 409843)	Ferndale Walk To Greenacres Ring	ANGMERING	near to garages (map in sharepoint) eastings: 507142 northings:104831
918885	please check outlet from gully outside no 1 as floods in heavy rainfall and water takes awhile to drain away	The Pines	ANGMERING	o/s No 1
917057	please rod gully/investigate (Enquiry 10733)	Handcross Road	ANSTY AND STAPLEFIELD	o/s number 3 Handcross road, eastings:527334 northings:128383
916015	Form tarmac bund across entrance as marked 12m x0.5mx50mm.	Staplefield Lane	ANSTY AND STAPLEFIELD	o/s Whitehouse Cottage 526933,126388
916019	Drainage investigation as per site specific sheet.	Staplefield Lane	ANSTY AND STAPLEFIELD	south of Whitehouse Farm to North of Whitehouse Cottage 526905,126142 to 526958,126559
918095	investigate gully and chamber and locate outlets.	Staplefield Road	ANSTY AND STAPLEFIELD	j/o Slough Green Lane 528461,126016
914385	Carry out investigation and other drainage works as per site specific sheet.	Warningld Road	ANSTY AND STAPLEFIELD	Staplefield Common to Cuckfield Road 527427,128082 to 527613,128109
189078	Added to 2012 Ditch Maintenance Program. Target completion 31/09/12. Dig out ditch to below any piped levels. See spreadsheet for site details. Remove spoil from site.	Birdham Road	APPLEDRAM	See attached plan.
915385	*Sat night/sunday morning heavy rain has caused surface water to run down the driveway of Cobb Cottage North. Suspected cause is faulty granite sets/drop at edge of road. This has caused several ton of gravel to move. Please investigate □ (Call Back Reque	Selsfield Road	ARDINGLY	Outside Cobb Cottage North
916066	Clear sumps as required,leave arisings on site, rod outlets to carrier/outfall, up to 16no gullies.	West Hill	ARDINGLY	Ardingly reservoir causeway. 533059,129954 to 533362,129778
917189	Please rod and investigate and clear any blockages (Enquiry 248222)(4 x gullies have been marked with green paint by conways)	West Hill	ARDINGLY	West Hill, Balcome, Ardingly. (see map in sharepoint)
917939	(follow on job from job no 917865 see Conway sheet in sharepoint) Hand cut hedge to gain access dig in verge and prove outfall and repair as necessary	Ford Road	ARUNDEL	in verge opposite 72a, between eastings:500990 northings:106406 and eastings:500971 northings:106379
826565	investigate why road has collapsed (WS Obst flood,spill,tree,hedge)	Kings Arms Hill	ARUNDEL	outside the side of number 49 maltravers street
823036	Connect culverted water course to highway drainage system as marked on plan, by means of a new inspection chamber, to be installed in c'way. Please note that plans indicate the culvert is cased in concrete. (there are no inspection chambers to culverted wa	Cricketers Close	ASHINGTON	o/s no 3
916054	replace gully with new & re-bed 6 setts	London Road	ASHINGTON	on the east side of London Road, immediately south of □ Turnpike Way.
824101	From MHC adjacent to public right of way, excavate onto pipe and replace 3m x 300mm plastic, reinstate DBM hard stand as existing.	Hammerwood Road	ASHURST WOOD	rear of link house (link hse used a office, staff will move vehicles to assist.
824228	reset 2no. manhole covers in verge (Enquiry 307067)	Handcross Road	BALCOMBE	Approx 125m northwest of Railway bridge See Map (due to remaining road width, please park on verges to maintain road width)
917024	*Excavate find outlet and rod as necessary: □	Shripney Lane	BERSTED	o/s Barnfield House, junction A29 Eastings:493833, northings:102039
917859	please rod/investigate gully (suspected blocked outlet(Enquiry 260343)	Cranham Avenue	BILLINGSHURST	O/S No.10
65568	please rod to find break in pipe dig to repair and clear system	Daux Avenue	BILLINGSHURST	outside 3 as detailed on plan and photographs
916669	empy brick debris from pit	Daux Avenue	BILLINGSHURST	station road (r bone knows location)
918913	rod gully to clear flood	Lower Station Road	BILLINGSHURST	outside number 33 (parked cars)
917695	Please clear ditch	Main Road	BIRDHAM	TM REQUIRED see map in sharepoint west of shipton Green Lane between eastings:481078 northings:99270 and eastings:481301 northings:99304
918068	Please rod 2 x gullies	Belmont Street	BOGNOR REGIS	D87/24 in western vehicle entrance to flats Mountbatten Court & approx 3m east of W. Jones Ford Specialists Service Centre & approx 6m east of street light column no 13 - Health, Fitness & Leisure Club eastings:493604 northing:98965 and 493573 northings
917075	ROD AND INVESTIGATE/REPAIR (GULLY ID16365)	Parklands Avenue	BOGNOR REGIS	corner of Liden Road EASTINGS493,030 NORTHINGS:99.679.00
916535	Drainage. Install kerbs as marked to hold highway water on c'way.	Cherry Lane	BOLNEY	o/s Stone House
916776	Replace existing 600x400 frame and cover with new bolt down cover type. Concrete surround required. In verge.	London Road	BOLNEY	approx 10m north of entrance to Wellmead East 526479,123547
917065	please rod gully and clear blockage	Bosham Lane	BOSHAM	outside house called Stokes eastings480,833 northings104,321
914635	Please install new gully o/s no 21 and connect up with 20m of 150m pipe to existing gully o/s no 16 , also please install 4m dropped kerb between no 21Gifford rd and no 17b Montague ave with 30mm upstand (Enquiry 408184)	Gifford Road	BOSHAM	o/s 21 gifford road, between eastings:481406, northings:105267 and eastings:481403, northings:105250
917044	Please rod culvert from Northern side to Southern side to relieve water	Old Park Lane	BOSHAM	outside Withy cottage
917083	please clear 10m ditch away from outlet	Smugglers Lane	BOSHAM	ditch opposite house called watermeadow, between eastings:480106 northings:102231 and eastings:480118 northings:102219
916732	Replace manhole cover in footway - 300 x 450mm (Enquiry 307116) (F/W Cov/Gul sunken - raised)	Old Guildford Road	BROADBRIDGE HEATH	opposite Hollands Field
824070	Lay 27m x 150mm plastic pipe in c'way to connect from carrier in c'way to gully. Install Inspection chamber at connection, see plan (whilst excavating across junction of oak lane, carry out in two half and maintain access, temp road plates maybe required)	Wickhurst Lane	BROADBRIDGE HEATH	From o/s exit to school. (Constraints School, suggest carry out of term time or OOH)
916936	Clear blockage in gully 2m in where possible and report back findings, thanks SEE CONWAY SHEET IN SHAREPOINT	Alexandra Road	BURGESS HILL	JUNCTION OF ALEXANDRA ROAD AND SILVERDALE ROAD EASTINGS: 532274, NORTHINGS:118776 GULLY ID 5043
914378	Excavate as marked to repair 4"or6" salt glazed pipe in c'way and fill void with GSB, patch c'way to suit as per site specific sheet.	Barons Court	BURGESS HILL	s/o 11 oakwood road 531837,118904.
918092	Investigate gully and rod outlet as per Conway report no 416	keymer Road	BURGESS HILL	o/s Parklands 531817,117766
914379	Excavate in c'way to investigate and repair broken pipe as per site specific sheet.	Leylands Road	BURGESS HILL	o/s 44 532119,120060
916160	Drainage excavate in c'way as marked as per site specific sheet to clear blockage.	Leylands Road	BURGESS HILL	j/o London Road 530836,119669
916349	rod gullies to find blockage	Bury Road	BURY	Outside Thatched Cottage opposite B2138
64903	Clear chamber of roots and prove outfall pipework	Cedar Drive	CHICHESTER	Opposite 50 EASTINGS:485467 NORTHINGS:105261
918071	please rod gully	Kingsham Road	CHICHESTER	C149/1 opp 34 & opp approx 1m east of no 33 - o/s Chichester High School for Boys
916036	Replace gully with new / deeper gully as per plan and replace 5m of pipe	New Park Road	CHICHESTER	o/s 19 at junction of Litten Terrace. Plans & stats in sharepoint
916985	see conway comments(in sharepoint) Gully E19375 was jetted but water is ejecting out of gully o/s 67 please rod/investigate to outfall and clear any blockages	Oliver Whitby Road	CHICHESTER	O/S 67 EASTINGS: 484991, NORTHINGS:105314
824589	with supercombo and Conways CCTV, clean gullies, assoc. catch pits, jet carrier and map system.	Portfield Way	CHICHESTER	From A27 PORTFIELD ROUNDABOUT to A285 SAINSBURYS ROUNDABOUT, see plan, (constraints, dual carriage way, suggest use of blocking vehicles)
65539	Please rod gully to establish break in pipe or y connection into carrier.	Whyke Road	CHICHESTER	Junction Whyke lane
915914	please install 1 new gully (marked on site with X) and connect up with 7m 150mm pipe to ditch opposite	Drift Lane	CHIDHAM	o/s The Old Cottage, EASTINGS:479300 NORTHINGS:105402
65533	Please rod and clear outlet and outfall to ensure free flow of gully	Hambrook Hill South	CHIDHAM	Hambrook hill A27 Emergency access gate as per plan(working in gateway off live highway signing required)(dead end road)

915198	drainage investigation required to determine outfall of both gullies (carriageway and side entry marked on map in sharepoint) and clear outfall if in ditch o/s The Cottage, (If further info required please contact John Bowyer) (Enquiry 251616)	Cocking Causeway	COCKING	o/s house called The Cottage, between Eastings488312, Northing:119721 and Eastings:488327 and Northings:119737
918544	Investigate pit in footway as per Conway report 493.	Albany Road	CRAWLEY	o/s 55 526094,136558
918477	Attend site with EA to investigate surface water systems as directed by them. Lift various covers for inspection.	Balcombe Road	CRAWLEY	Flower Shop to Crematorium. 529756,139065
65069	please supply 3 in 1 to clear detritus from footway and prove gully outlet	Church Street	CRAWLEY	church street junction with field road
917612	Drainage Rod outlet to main carrier and report.Gully no 25878. (see links in job)	Church Street	CRAWLEY	o/s 26 526330,136657
916465	Drainage investigation.Rod outlet, locate and clear obstruction.	Friston Walk	CRAWLEY	o/s 12 525431,137472
915518	Form Grips as marked as per site specific sheet 11no total @ 3m x 0.5m	Horsham Road	CRAWLEY	LC 118 to LC 150 524955,134915 to 524422,134741.
917614	Drainage Clear gully no 25906 Rod outlet to outfall/main and report.	Horsham Road	CRAWLEY	o/s 32 526346,136529
915944	Check sump and rod outlet. Report findings.	Ifield Road	CRAWLEY	o/s 235 525799,137104
917613	Drainage Clear side entry gully 25937 Rod outlet to carrier and report.	Ifield Road	CRAWLEY	o/s 64 526299,136672
916445	Drainage investigation Clear sump/locate outlet clear and rod to carrier.	Spindle Way	CRAWLEY	J/O Haslett Avenue East 527576,136543
918802	Drainage Clear gully rod outlet to outfall and locate possible 2nd gully.	Hanlye Lane	CUCKFIELD	J/O Balcombe Road and Borde Hill Lane 532472,125745
918104	Investigate system and gullies	London Lane	CUCKFIELD	Throughout 530532/125029 to 530989,124701
918770	Drainage, Form tarmac bund across entrance to car park, 7m x0.5mx75mm. Park in car park.	London Road	CUCKFIELD	O/s Rose and Crown pub 530536/125026
64373	Install 7 No. new gullies in highway adjacent to existing verge gullies. Gullies to be fitted with 600 x 600 gully gratings.	A285 Barlavington Down To Folly Lane	DUNCTON	"Duncton Hill. □ Bottom of Duncton Hill to View point." Constant flooding on the bend to Dyers Copse, Eartham in Thicket Lane BETWEEN EASTINGS492645 NORTHINGS:108457 AND EASTINGS:492731 NORTHINGS:108403
916424	Please cut 9 x grips marked on site to try to alleviate flooding at low point (job for Scoop)	Thicket Lane	EARTHAM	AND EASTINGS:492731 NORTHINGS:108403
917596	lift manhole rod./investigate and repair as necessary(Enquiry 260383)	Hollist Lane	EASEBOURNE	At the entrance to the drive to Rotherlea, between long meadow and brook cottage
914580	Excavate trial hole in footway to locate source of underground water affecting stability of footway.	Alders Avenue	EAST GRINSTEAD	o/s 24/22 538987,139354
823034	From the garden of no. 60 remove pug from base of catch pit and clear where possible inlets and outlet to allow for jetting.	Fairfield Road	EAST GRINSTEAD	no. 60, contact for access, Victoria Butler - 07737 567751 [01342 315677] email: victoriajbutler@me.com
823035	Further to the walk, talk and build site visit, install over flow pipes to the 225mm carriers that run through the gardens of both 60 and 66. outfall pipe away from carrier supported with concrete bag work, outfall pipes at surface level, with 1m3 sump di	Fairfield Road	EAST GRINSTEAD	no. 60, contact for access, Victoria Butler - 07737 567751 [01342 315677] email: victoriajbutler@me.com, access for 66, Mrs Rebecca Gatton 07545 989605
916410	Investigate surcharging gully, locate outlet.	Faraday Avenue	EAST GRINSTEAD	o/s 7/9 539601,136866
916411	Clear gully, locate outlet and rod thru	Hermitage Lane	EAST GRINSTEAD	o/s Ariston 539633,137748
822242	From gully o/s 69, trace 150mm pipe to break approx on entrance to property, excavate and repair as necessary, ensure void under f/w is reinstated and reinstate dbm f/w and access like for like. In addition as part of same system, install New road gully	Hermitage Road	EAST GRINSTEAD	Two location as part of same system, either end of PROW 418Sy (Eden vale and hermitage road, o/s 69) Pls see Map STATS Required for both ends 538986, 139420 and 538963, 139362
916072	Drainage excavate in c/way to locate blockage as marked as per site specific sheet.	Imberhorne Lane	EAST GRINSTEAD	o/s Peter Jones Engineering entrance 537625,139170
823913	Excavate and relay 5m x 150mm pipe from gully j.w to inspection chamber, or next sound joint in pipe from break.	Ship Street	EAST GRINSTEAD	Junction with Portland Road, (constraints junctions, overhead cables)
916426	Drainage.Check manholes, Clear gully sumps, Rod outlets to carrier and report.	West Hoathly Road	EAST GRINSTEAD	Admirals Bridge Lane to County Boundary 538276,134771 to 538084,134561
191206	Regrade ditch from below inlet to outlet. Approx 40m length.	Sea Lane	EAST PRESTON	O/s No.1 Tamarisk Way (Contraints: Removeable socket bollards at access point/Junctions)
191207	Replace defective cover and frame within verge section.	Sea Lane	EAST PRESTON	Side of No.1 Tamarisk Way (Contraints: Removeable socket bollards at access point/Junctions)
918332	(Follow on job from jetting job no192213 please see links) please dig down and investigate possible broken pipe and repair as necessary (Outcome BT have damaged our pipe JB to pass info to Shaun Prior to chase BT for repair)	Bracklesham Lane	EAST WITTERING	O/s Cliffords Cottage Restaurant (between eastings:480713 northings:96875 and eastings:480734 northings:96922
917995	clear ditch as necessary and construt new manhole - STATS ALREADY IN SHAREPOINT	Fitzhall Road	ELSTED	jun with Trotton Road / Station Road - STATS ALREADY IN SHAREPOINT
917921	Please dig out highway ditch (Enquiry 257655)	Trotton Road	ELSTED	TM REQUIRED side of Oakhurst Cottage between Eastings:483204, northings:120992 and Eastings:483257, Northings:120893
916076	please dig trial hole to investigate cause of water rising up through footway/wall o/s no 11 and running into garden of no 11, please report back to Garnett Scammell so that he can pass results to Jane Trimmer	Bishops Close	FERNHURST	side of 11 bishops close (In Nappers wood), eastings: 489377, northings:128740
916317	please dig slip trench in verge to Bishops Close down to 200mm deep look for water then top up with stone/turf on top	Nappers Wood	FERNHURST	DIG TRENCH in Nappers Wood side of no 11 Bishops Close (see Map in Sharepoint) Between EASTINGS:489384 NORTHINGS:128753 AND EASTINGS:489370 NORTHINGS:128732
917174	Please Rod and Repair as necessary(Enquiry 249822)	Main Road	FISHBOURNE	Half way between Blackboy Lane & Salt Hill Road opposite the clinic in front of the bus shelter. (see map in sharepoint)
914671	Please construct concrete apron around gully (Enquiry 408790)	School Lane	FITTLEWORTH	on verge in front of evangelical church EASTINGS: 501128. NORTHINGS: 119054
918728	rod gully to manhole to clear any blockage or any break in pipe run	School Lane	FITTLEWORTH	outside no 21 (entrance to car park near by)
917566	please cut up to 6 shallow wide grips to alleviate flooding	B2178 Southbrook Road To Mouthays Lane	FUNTINGTON	TWO WAY LIGHTS WILL BE REQUIRED Approx 250m east of Southbrook Road. map and photos in sharepoint; BETWEEN EASTINGS:481751 NORTHINGS:107922 AND EASTINGS:481525 AND NORTHINGS:107978
192352	JCB required to expose pipe and headwall to effectively and comprehensively clear culvert with a view to increasing flow capacity of pipe and ditch. Request JCB also clears vegetation from embankments of ditch [non prejudice works]. Length of ditch clea	Newells Lane	FUNTINGTON	Approx 350m south of Struan House by culvert rails.
917239	Please rod and repair as necessary, Possible broken pipe	Selham Road	GRAFFHAM	outside Drovers eastings:493183 northings:120675
916123	please cut 5 x grips	B2146 Torberry Lane To Old Ditcham	HARTING	on the approach to camrose cottage EASTINGS:476819 NORTHINGS:119997 east
914761	2mx0.6 of concrete bags and backfill with concrete and pin (carriageway drops off into ditch)	Hollist Lane	HARTING	Outside Hollist Farm,side of access(contractors may be able to pull into driveway of Hollist farm with owners permission?) eastings:479807 northings:119722
917692	Please rod 4 x gullies	Dale Avenue	HASSOCKS	CONES MAY NEED TO PUT OVER GULLIES TO STOP CARS PARKING OVER THEM PRIOR TO VISITING SITE, ALSO AVOID DROP OFF AND PICK UP TIMES FOR SCHOOL O/s 2 by entrance to school and 2 opposite (map in sharepoint with gullies marked) BETWEEN EASTINGS530881 NORTHINGS:
917074	GULLY B4020 STILL BLOCKED AFTER JETTING, PLEASE ROD/INVESTIGATE TO CLEAR ANY BLOCKAGES(Enquiry 10711)	Keymer Road	HASSOCKS	O/S TAKEAWAY , eastings:530793 northings:115489 (cones may be required few days before so no cars can park over it)
917987	Raise setts and patch c/way as marked as per site specific sheet.	Ashenground Road	HAYWARDS HEATH	o/s 43 533138,123134
914764	Investigate void in footway after initial make safe. (Enquiry 248210) (F/W hazard trip/depression)	Beech Hill	HAYWARDS HEATH	Outside 123 Beech Hill.
917988	Investigate gullies and clear outlets to carrier.	Haywards Road	HAYWARDS HEATH	o/s 44 & 51 533170,123427 to 533177,123428
915388	Rod gully to clear flooding problems	Sergison Road	HAYWARDS HEATH	Outside No. 38
916487	install gully and connect to manhole or existing gully	Cagefoot Lane	HENFIELD	high street junction with cagefoot lane as marked on site
917849	break out concrete in gully out let pipe	Blatchford Road	HORSHAM	opposite Bryant fixings
916665	Road is flooded where the disabled bays are,rod gullies to find any blockage	Causeway	HORSHAM	Junction South Street as plan
917397	rod gullies to clear flood	Guldford Road	HORSHAM	outside chaldens and chaldens cottage
916355	rod gully to find block	Milton Road	HORSHAM	Storm drain outside no 11 Milton Road Horsham
916347	rod gully to find blockage	Redford Avenue	HORSHAM	os 117
916569	clear gully tops and rod where needed	Sedgwick Lane	HORSHAM	from A281 to stream
918125	replace ligully top and rod all gullies	Station Close	HORSHAM	station close
918596	Drainage investigate locate and clear blockage as per conway report 16114. Also clear aprons and grids.	Birchgrove Road	HORSTED KEYNES	Warren Farm to South East Water station. 539294,129057 to 539161,128781
918592	Drainage investigate, locate and clear blockages as per conway report 18713. Also clean off all gully aprons and grids.	Keystford Lane	HORSTED KEYNES	Hedhurst farm to Tyhurst 537349,127846 to 537579,127814
916178	please clear ditches/headwalls as necessary	Selsay Road	HUNSTON	map on sharepoint, between eastings:486341 northings:102081 and eastings:486249, northings:101928

916829	PLEASE CLEAR DITCH AS DIRECTED BY JONATHAN ULLMER	Plaistow Road	KIRDFORD	FLOOD PLAISTOW ROAD, KIRDFORD, NR COSTRONG FARM BETWEEN EASTINGS:501982, NORTHINGS:129093
916313	clear head walls of culverts and small length of ditch	Village Road	KIRDFORD	Boxal Bridge area as plan in sharepoint
917485	rod gully (see wscoc works order in links)	Grinstead Lane	LANCING	56 Grinstead Lane
826794	Pothole repair PLEASE SAW cut 0.4x0.4x0.055 NB BE AWARE RIGHT ON JUNCTION !!! (Potholes)	Manor Road	LANCING	junction griffiths avenue
918631	rod gully to find any break in pipe	Norh Road	LANCING	outside fish bar, parked cars pedestrian crossing
917245	Install new 9 inch pipe to connect to existing pipe from The Cottage garden. Construct new catchpit (C1/A FWS3) in verge to connect to new 9inch pipe. From catchpit lay new 6 inch pipe into gully. Park vehicle in driveway	Fordwater Road	LAVANT	O/S The Cottage between Fordwater Road and property garden.
917909	Please rod and clear (blocked outlet 1m in) (conway defect 345)	Hollycombe Lane	LINCH	o/s Hollycombe house near bridge eastings:485125 northings:129337
916877	Drainage investigation as per site specific sheet	East Mascalls Road	LINDFIELD RURAL	East Mascalls Bridge to East Maskells 536545,125459 to 536587,125679
915387	blocked drain on appledore gardens small lade outside 25a	Appledore Gardens	LINDFIELD URBAN	blocked drain on appledore gardens small lade outside 25a
917062	has now been drazined but still blocked (Enquiry 249536)*	Backwoods Lane	LINDFIELD URBAN	o/s cricket ground, eastings: 534597 northings:125027
917409	Please repair broken pipe and reinstate as necessary	Toddington Lane	LITTLEHAMPTON	OPP NO 18 (Mill Lane)
917409	Please rod/inv gully (Gully ID28436)	Selham Road	LODSWORTH	by entrance to saw mill (see map in sharepoint)
917243	Please rod 3 x gullies to main carrier	Brookland Lane	LOXWOOD	as per plans given to John Bingham. Stats provided direct
915826	cut grips / clear ditch where necessary			
193313	UN JAM 600MM DIA MANHOLE COVER AND RAISE BY A COURSE OF BRICKS. IF UNABLE TO UN JAM PLEASE RE PLACE COVER. ROD PIPE BACK TOWARDS ROAD AND CLEAR BLOCKAGE.	High Street	LOXWOOD	BETWEEN CANAL AND DC CLIFTON AND SON NORTHBOUND BEWTEEN E504030 N131221 AND E504047 N131212
191905	Dig down and replace pipe in highlighter section between two gullies. Relay in concrete bed and surround to prevent further root ingress.	Station Road	LOXWOOD	Between Larkrise and Old Oak House
915934	clear ditch either side of culvert and create / redig grips as necessary along area of plan - as discussed with John Bingham , Scoop job (Enquiry 409287)	Roundhurst Lane	LURGASHALL	Approx 60m south of property named Farall. In low spot. Plan in sharepoint
915935	redig grips as necessary along area of plan - as discussed with John Bingham , Scoop job (Enquiry 409287)	Roundhurst Lane	LURGASHALL	in the vicinity of Holly Tree Cottage - plan in sharepoint
824119	Install 2 new road gullies, connect in existing acco drain and connect to existing gully on access total pipe length, 12m x 150mm plastic pipe, trench through dbm c'way approx 6m remaining within verge. Reinstate as existing.	Elmer Road	MIDDLETON-ON-SEA	fo/s 118, see plan, (Constrants Junctions, overhead cables, bus route)
824454	Excavate defective pipe section within junction and replace in plastic, (gully to gully) 8 x 150mm Re-instate as existing (dbm access road)	Elmer Road	MIDDLETON-ON-SEA	within junction to TEMPLESHEEN ROAD, private road, o/s The Cabin Pub. Constraints works across junction, PH, bus route and turning point for bus (reverses into junction to turn) suggest to early morning works to avoid disruption)
824465	From behind gully on access, uncover burried chamber and install lid, and patch surround in dbm, to allow futrue jetting.	Elmer Road	MIDDLETON-ON-SEA	o/s 133, see map. (Constraints, bus route, access)
914673	Large hole approx 250mm x 150mm deep by side of gully - made safe as an emergency needs investigation/ permanent repair) (WS Obst flood,spill,tree,hedge)	Red Lion Street	MIDHURST	o/s the Swan Inn
915828	scrap road as necessary	Iping Road	MILLAND	as necessary
915728	Grips need re digging as plan to be given to John Bingham by J Ullmer also clear 10m of ditch	Milland Lane	MILLAND	Milland Lane as plan
63967	Please supply sweeper and clear detritus following flooding	West Sussex County Council	NO CODE ALLOCATED	As Directed by client
914404	provide various jettors / tankers to attend to emergencies as directed from 11th June - 18th June	West Sussex County Council	NO CODE ALLOCATED	various
916356	rod gully to find blockage	Godwin Way	NORTH HORSHAM	corner of Crawley Road
918582	rod pipe to find blockage, relay pipe as necessary, dig out ditch to clear end of pipe	Langhurst Wood Road	NORTH HORSHAM	near Pondtail house in farm gate way Between e517587 n133722 and e517566 n133739
916913	please clear 100m of ditch and make sure gully is running	Bowley Lane	NORTH MUNDHAM	between Smith's Barn and croft cottage, between eastings488308 northings:100337 and eastings:488396 northing:100290(see map in sharepoint)
917082	clear 10m of ditch to alleviate gully outlet (Enquiry 251003)	Brookside	NORTH MUNDHAM	junction of Brookside/Lagness Road BETWEEN EASTINGS:488428 NORTHINGS102373 AND EASTINGS:488417 NORTHINGS102366
917580	install new pipe approx 3m	Brighton Road	NUTHURST	"Friars Field"
914621	trial hole required as attached plan	Copsale Road	NUTHURST	Brighton Road" junction with copsale farm
916894	1.break up and remove collapsed wall that has fallen into ditch, 2. build concrete bagged headwall and form concrete spillway at top of wall. 3.Install twin culvert rails 9m plus end returns(enquiry 257476)	Church Lane	OVING	On right hand side of lane just before cycle path EASTINGS:490176 NORTHINGS:105321
916053	Clear ditches as necessary / cut grips	Marsh Lane	OVING	as necessary following walk through - stats already provided / road closure already organised as haunching works taking place at same time
822852	Cut steel plate to bed in to rear of gully to cover exposed/void approx 0.75 x 0.3, reinstate verge to rear as existing, see photo	Woodhorn Lane	OVING	JUST NORTH OF OVING NEW ROAD, SIDE OF SOUTHBOUND CARRIAGEWAY (due to width of c'way, please park on verge and work from verge to prevent a road closure)
916157	clear ditches as necessary to aid flooding situation. (Enquiry 409483)	Lower Bognor Road	PAGHAM	Opposite Park Farm Lagness. - stats hopefully in sharepoint by 10th august
916592	please repair section of broken pipe found by conways during gully cleaning	Sea Lane	PAGHAM	between no's 49 and 47 between eastings:488919 northings:97440 and eastings:488959 northings:97420 map on sharepoint
916340	"Southern Water have attended a water leak here but have said that most of the water flowing out of France Lane down Arundel Rd is due to the blocked culverts and drains at the bottom of France Lane. Easting: 508569 North	France Lane	PATCHING	Flows out of France Lane into Arundel Road
193392	Please replace 2no 550mmx350mm gully gratings.Marked J on road.	Balls Cross Road	PETWORTH	1 is 65m west of Ratford Farm Gully E44703.westbound carriageway E497761 N123966, 1 is 210m west of Keyfox Farm Gully E83741, eastbound carriageway E497736 N123826.
915936	Lower gully in verge and build apron	Plaistow Road	PLAISTOW	Marked on map in sharepoint o/s house caled silver birches Eastings:502275 Northings:130708
915927	scrape road and report if further works necessary. (Enquiry 406509)	Langley Lane	ROGATE	Throughout road section.
917861	Please rod/investigage blockage and repair as necessary	Church Street	RUDGWICK	Outside no 8 Buckhurst Cottages.
914914	install new gully and connect to excising.lay 5m x225mm pipe	Guldford Road	RUDGWICK	A281 DRAINAGE BY FISHERY CLEMFOLD as inspection sheet and marked on site
916109	clear debris away from culvert entrance	Loxwood Road	RUDGWICK	Bridge roughly 300 meters east of Mucky Duck PH
64660	Clear ditch and clear culvert pipes under driveway	Charlwood Road	RUSPER	From woodlands to Rose cottage 524096,139186 to 524092,139255
916232	drainage investigation requires rodding to see cause of flooding please confirm date of commencing works with NM	Cooks Mead	RUSPER	o/s No. 14 in bellmouth as marked on plan
916475	Drainage investigation. Locate and clear obstruction as per Conway report 155 2m towards driveway from gully	East Street	RUSPER	O/s Oaks Cottage 520907,137208
917149	lay 14.5m dropped kerb with a 50mm upstand & patch road 14.5m x 2.5m with DBM to stop	Friday Street	RUSPER	Directly in the driveway and road on Friday street opposite Great Benhams
914370	lay 225mm x 7m under drive clear verge and back fill	Lams Green	RUSPER	outside property called cobnor
916118	replace concrete manhole cover with heavy duty manhole cover	Orlons Lane	RUSPER	on culvert. 5 mile from the mount as attached plan
915957	Drainage repairs/investigation as marked as per site specific sheet.	Rusper Road	RUSPER	o/s CCM Garage 522971,137333 to 523072,137316
916234	drainage investigation required	The Mount	RUSPER	outside mount barn as plan and marked on site
918576	clear approx 20 of ditchline,install 2 new gullies& rod pipeline as SIS	The Mount	RUSPER	outside mount barn,North Gate & near Hilltop Cottages as plan
918811	Remove buddleia roots from wall. J. ULLMER REQUESTS K HARBER & M WEBB to do this job (Enquiry 257132)	Mill Lane	RUSTINGTON	o/s windmill pub
915866	remove 2 x botholes and replace with carriageway gullies (marked on site with X), also change small footway gully to 300x300	Beach Road	SELSEY	install carriageway gullies o/s 5 and 15 and install larger footway gully o/s no 9, between EASTINGS:485997 NORTHINGS:93596 AND EASTINGS:486047 NORTHINGS:93587
917081	BUILD TARMAC HUMP ACROSS WHOLE OF ACCESS APPROX 24M TO ALLIEVIATE WATER GOING ONTO ACCESS FROM CARRIAGEWAY	Church Road	SELSEY	O/S 15 (MAP ON SHAREPOINT) between Eastings: 485788 northings:93666 and eastings:485811 and N:93651

917114	Please rod/investigate and clear blockages in 2 x swan neck gullies(Enquiry 409212)	Selsey Road	SELSEY	south of ferry corner northbound carriageway, opp house called wayside and opp ferry farm house BETWEEN EASTINGS:485676 N:96173 AND EASTINGS:485668 AND NORTHINGS:96176
915132	Drainage investigation required (rod pipeline) Beside PO marker water comes out onto road instead of entering ditch	Emms Lane	SHIPLEY	300m. or so from junction with Trout Lane opposite Chivers,
917640	Install 2 pits lay 30m of 225mm pipe,rod existing pipe run and clear out approx 30m of ditch	Sircox Lane	SHIPLEY	outside and opposite Falconers Farm
918507	Investigate and rod outlet from gully to chamber in footway. Check flow through chamber.	Ham Road	SHOREHAM-BY-SEA	opposite Mercury House 521986,105222
918266	Investigate gullies and pipe runs Locate and clear blockage and outlets. See Conway report 63	Southdown Road	SHOREHAM-BY-SEA	j/o Western Road 521515,105310 to 521491,105288 to 521559,105292
63922	Broken manhole cover in vehicle access, already made safe with cone, can cover be lifted to confirm ownership as Southern water saying not their's so might be a private sewer cover, showing on I browse as southern water sewer cover and report back to client	Woodards View	SHOREHAM-BY-SEA	outside no 8
191001	Digger/Gang to excavate ditches to find inlet/outlet that runs under carriageway. Clear pipe mouth to ensure post works Jetter can clean pipe run.(also see job nos 185606 and 193457)	Chichester Road	SIDLESHAM	O/s and Opp. Chichester Canvas. See Plan for detail.
189060	Added to 2012 Ditch Maintenance Program. Target completion 31/09/12. Dig out ditch to below any piped levels. See spreadsheet for site details. Remove spoil from site.	Selsey Road	SIDLESHAM	See attached Plan
914920	Please install gully(marked on site with X) in front of bolt hole(leave bolt hole open) and connect up to catchpit behind also please clear away silt/grit that is laying in front of botholt, Thank you (enquiry no 408953)	Selsey Road	SIDLESHAM	o/s house called Harvesters just to left of petrol station EASTINGS:485402 NORTHINGS:98714
917559	please clear ditches as necessary	Selsey Road	SIDLESHAM	two way lights required near to junction with rookery lane by pondtail cottage between Eastings:485615 northings:98149 and eastings:485633 and northings:98044
917562	please clear ditch as necessary	Street End Road	SIDLESHAM	near eaton house between eastings:485061, northings:99575 and eastings:485107 northings:99479
918538	please repair side entry/bolthole cover (gully id D1982)	Street End Road	SIDLESHAM	near to junction with Church Lane see map in sharepoint eastings:485360 northings:99154
918239	Investigate surcharging chamber in footway clear and rod to outfall as marked.	Brighton Road Access Northbound	SLAUGHAM	Opposite j/o Slaugham Park Road,North Lodge 526076,129516
916137	Drainage Rod outlet from surcharging gully to carrier or outfall	Colwood Lane	SLAUGHAM	o/s The Old Laundry 525702,125513
916226	Drainage investigation as per site specific sheet.	Colwood Lane	SLAUGHAM	Rout Lodge to Colwood Court 525616,125221 to 525695,124972
917979	Investigate surcharging gully rod outlet to carrier.	Coos Lane	SLAUGHAM	o/s Phipps House and Lodge. 525127,128476
916155	Drainage as per site specific sheet	High Beeches Lane	SLAUGHAM	nr j/o London Road 526405,130233 and o/s East Lodge 526973,130665
917579	Investigate gully outlet to chamber in footway. Check main carrier as marked as per site specific sheet.	Horsham Road	SLAUGHAM	o/s Rose Cottage 526047,129664
916438	Drainage clear sump, locate outlet and rod to carrier. as marked.	Old Brighton Road South	SLAUGHAM	in turning head opposite Finches Cottages 525951,132814
918243	Investigate 2no chambers in footway and blockage in line as per Conways report 18456	Slaugham Lane	SLAUGHAM	o/s Highlands/High Banks 525004,126129 to 525010,126200
916348	rod gully to find block	Church Lane	SOUTHWATER	Just outside of Graveyard on road. as plan
917064	Please rod gully and clear any blockages (Enquiry 244260)	Station Road	SOUTHWATER	Drain outside of property no 5 eastings:515850 northings:126166
917396	rod system to find any blocks	Tower Hill	SOUTHWATER	Outside property Sospiri and on bend
914614	drainage investigation required to find wth road floods	Worthing Road	SOUTHWATER	between Hen and Chicken PH and New Road southwater
915960	take out bolt hole and replace with gully top & frame	Worthing Road	SOUTHWATER	in old layby between new road & hen & chick
917040	JCB required to scrape mud off the road	Iping Lane	STEDHAM-WITH-IPING	throughout lane (see map and photos in sharepoint)
918368	gully (id D3113) ,gully no longer required please infill with concrete (put something over pipe to stop concrete leaking out) and fill to carriageway level and cover over with tarmac	Iping Lane	STEDHAM-WITH-IPING	see map in sharepoint, eastings484868,124442 (QUIET COUNTRY ROAD)
190977	Added to 2012 Ditch maintenance program. Target completion 30/09/2012. Dig out ditch to below any piped levels. Remove spoil from site. See spreadsheet for site details.	School Lane	STEDHAM-WITH-IPING	Ditch down school lane
189223	Added to 2012 Ditch maintenance program. Target completion 30/09/2012. New Grip(s) require digging. Also check status of ditch and if necessary dig out ditch to below any piped levels. Remove spoil from site. See spreadsheet for site details.	The Street	STEDHAM-WITH-IPING	outside bridgefoot cottage
916077	20 Old grips need re digging	The Street	STEDHAM-WITH-IPING	on the approach to the village, between EASTINGS:486079 northings:121935 and Eastings:486139 Northings: 122097 map in sharepoint
917043	footway gully silted 70%, requires cleaning out & rodding to carriers to prove system working (Enquiry 9390)	Church Street	STEYNING	o/s 23 eastings:517758, northings:111252
916957	please rod to outfall (gully id 36117)	Meadowside	STORRINGTON	just before the bridge opposite number 15 (see map and conway form on sharepoint)EASTINGS:509133, NORTHINGS:113989
823041	Install new road gully, connect into arterial gully opposite (8x150mm). Reduce verge as shown on plan to road level, 75m x 0.75, plus reseed on completion. Plus regrade and widen two sections of ditch/grips either side of stream, including the removal of	Finchdean Road	STOUGHTON	from end of rear garden of 25 to opp junction with dean lane end, please see plan. suggest parking verge areas and working from verge to prevent road closure. (Constraints bend, overhead cables)
916175	Clear ditch as plan	Finchdean Road	STOUGHTON	opposite Dean Lane as plans and stats supplied to John Bingham
916831	please construct tarmac hump across the access to alleviate flooding approx 24m long	The Street	SUTTON	o/s 1/2 The Hollow (quiet country road) contractors can pull into layby outside the house, between eastings:498072 northings:116071 and eastings:498061 and northings:116059
915819	grip clearance as necessary	A272 New Road to the Harrows	TILLINGTON	as on plans given to JB along with stats
915820	Scrape road as necessary	Hammer Lane	TROTTON-WITH-CHITHURST	On the cross junction of Hammer Lane & Iping lane.
914627	Replace A.S.A.P. extemely noisy 600x600 Manhole frame and with locking cover. [was changed in Feb 2011 continual noise problems and has been packed and adjusted/relocked several times since then]. Please check manhole top layer brickwork is stable. Stats	Selsfield Road	TURNERS HILL	outside Kingfisher Cottage
918504	dig down to find break on pipe in 2 locations plus find buried cover in footway and raise cover(05/11/2012 dave moore of BB came in to speak about this one he said he has fixed the pipe breaks but says more jetting is required as system blocked No1. please provide concrete spillway from edge of c/w approx 4m x 2m. - No2. continue concrete spillway by widening existing grip towards pipe so 1m wide and lay spillway up to pipe, if pipe too high remove 1m length to adjust. - No3. cut grip marked on si	Hunters Mews	WALBERTON	out side house called Glenroy and other on the corner of Hunters Mews between E495456 N106977 AND E495407 N106991
915662	Relay 25 linear metres of dropped kerb in front of property to give a 25mm upstand to prevent water from tracking over., DBM t/w to rear.	West Walberton Lane	WALBERTON	The Pines, West Walberton Lane(quiet lane) between EASTINGS:495863 NORTHINGS:106757 AND EASTINGS:495908 AND NORTHINGS:106714
824107	dig out grip with mini digger approx 5m	Bognor Road	WARNHAM	o/s marches farmhouse, eastbound, (constraints overhead cables, due to remaining width park partly on verge to maintain road width)
914791	Site Investigationseveral gullies appear to be blocked. various locations between Rock Road and Squires Garden Centre (Enquiry 8647)	Dorking Road	WARNHAM	opposite nyes building supplies
915391	Email - Washington Parish Councillors met this week and discussed the recent flooding issues in Washington Village. Members were concerned at the flooding that had taken place at a few properties in particular The Frankland Arms and nearby houses. Counc	London Road Northbound	WASHINGTON	A24 Just north of Washington Roundabout to squires garden centre (lane 1)
916353	rod 2 gullies as attached sheet	The Pike	WASHINGTON	recent flooding issues in Washington Village
917394	Pipe under Monkmead Lane taking the water from the ditch alongside the path is blocked with debris causing the water to back up and flood the path please rod to clear pipe (see wssc works order in links) no further action required	Gay Street	WEST CHILTINGTON	One outside the property Little Crowell and one at the end of the lane leading to Kilbrannan Farm
916119	verge reduction work required	Harborough Hill	WEST CHILTINGTON	outside property called Brookwood by public footpath
916779	Kerbing as marked as per site specific sheet approx 10m	Chilgrove Road	WEST DEAN	see map in sharepoint - , half a mile south of hylers lane, for approx half mile heading south, mainly at side of south bound carriageway between EASTINGS:483448 NORTHINGS:112078 AND EASTINGS 483815 NORTHINGS:110986
917977	Excavate and raise frame and cover on surface water system in verge.	Bines Green	WEST GRINSTEAD	o/s Pinlands Cottage 518994,118248
191150	Excavate buried chambers in footway and raise ironwork to allow future access.	Marlipit Road	WEST HOATHLY	
917609	Drainage investigate full gullies, rod outlets to carrier and report. 3No(see conway sheet in links)	Top Road	WEST HOATHLY	O/s No's. 41 and 49
914837	rebuild edge of ditch after lorry slide into it - 8mL x 2mW of concrete bagwork, regrade ditch - RECHARGE Incident No:936 21/06/12 (Enquiry 250980)	Top Road	WEST HOATHLY	Railway Cottages to Lydd Cottage 537115,132463 to 537094,132463
918956	broken pipe please dig down and repair as necessary (follow on job from job no 189899)	Elms Lane	WEST WITTERING	10m S of Heron Farm
		Newpound Lane	WISBOROUGH GREEN	o/s Moonsbrook Cottage E:505602 N:126566

918371	Investigate gully, clear and rod outlet to carrier. 1no	Church Road	WORTH	opposite Londis Shop 531608,139366
918479	Free jammed gully grid as per Conway report 098519	Old Hollow	WORTH	J/o Turners Hill Road 530716,136859
918588	Drainage, investigate, locate and repair blockages as per Conway report no 18556.	Snow Hill	WORTH	adjacent to Tytherley 534065,139898
916344	rod gully to find any blockage.	Cross Street To Victoria Road	WORTHING	o/s warehouse building at edge f/path [approx opposite rear of 74 Teville Road]
916351	rod gully to find block (swan neck)	Hythe Close	WORTHING	On the corner of Hythe Road and Hythe Close and outside the GREY HOUSE.
918624	rod gully to prove blockage in system	Littlehampton Road	WORTHING	North side of road o/s Carnegie House opposite 47.
916350	rod gully to find block (swan neck)	Littlehampton Road Service Road	WORTHING	outside number 25
916345	empty gully & rod to clear	Park Road	WORTHING	On bend by park opposite 125/127.
915677	move gully from crossing point to position marked on site and as attached photo	Sompting Road	WORTHING	Southbound carriageway of Sompting Road just by the roundabout with Sompting Avenue and Dominion Road
916352	rod 2 gullies (swan necks) to find block	Tarring Road	WORTHING	outside off licence
916787	please replace 2 x gullies	Tarring Road	WORTHING	1gully o/s 197 Tarring Road, eastings:513524,northings:103316 and other gully in Harrow Road o/s jewellers, eastings:513558 northings:103310
916998	Please rod gully C15607 and clear any blockages	Thurlow Road	WORTHING	o/s no 15 eastings 515,520.29, northing 103,362.33
916343	rod gully to find any blockage	Victoria Road	WORTHING	West side of road o/s Charles Court, opposite York Lodge.
916342	leaves/detroitus filled to top of gully grill (unique gully no.E1215) (Enquiry 9485)	West Avenue	WORTHING	o/s 21 veh acc kerbside
916346	empty and rod gully	Windsor Road	WORTHING	East side of road o/s 26.
916833	please replace gully	Windsor Road	WORTHING	East side of road o/s 26.(see map in sharepoint)